



Comtarsia Logon Client 2016 Replace Recource Strings

Build 6.1.14.0

19 February 2019

Contents

1. Introduction.....	3
2. Finding the String ID.....	4
2.1 Enable Resource String Logging:.....	4
2.2 Display the string ID with the Message	4
2.3 Reproduce the corresponding output	5
2.4 Find the Stringoutput in the Logfile.....	5
3. Define a replacement string	5
4. Reset the Log Output	6



1. Introduction

The Comtarsia Logon Client 2016 has an internal text table for multiple languages for dialog boxes, fields and error messages.

These texts can be replaced individually with this manual.


Please note that all escape sequences in the same order must also be included in the replacement string!



2. Finding the String ID

2.1 Enable Resource String Logging:

Enable the Detail Log Ressource 0x0200 by using the Comtarsia Management Console:




2.2 Display the string ID with the Message

Optionally, the string ID can also be displayed in the message, by setting this registry parameter:

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Comtarsia\SOSProfile 001\LogonClient]
"displayMsgStrID"=dword:00000001
```

2.3 Reproduce the corresponding output



2.4 Find the Stringoutput in the Logfile


Open the Comtarsia Logon Client Log file and search for this message and String ID.

```
2019.02.19 11:12:56.166 09E4:10A4:00 <20F:CLCFunctions::GetMsgStr:1606:S0:C0>  
Lang:9, MsgID: 319, string:'The Proxy server is unreachable! (communication error!) Would  
you like try a logon with locally cached credentials?'
```

3. Define a replacement string

Define a replacement string (REG_SZ) for the string ID in the registry:

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Comtarsia\SOSProfile  
001\RessourceStrings]  
"319"="Corporate Network is not available! Try offline logon?"
```



4. Reset the Log Output

To prevent unnecessary log outputs, deactivate the log output afterwards (2.1 and 2.2).